

Publications utilizing QuantiGene[®] Plex technology

2010

Aleksunes L. M., Reisman S. A., Yeager R. L., Goedken M. J., Klaassen C. D. Nuclear factor erythroid 2-related factor 2 deletion impairs glucose tolerance and exacerbates hyperglycemia in type 1 diabetic mice. *Journal of Pharmacology and Experimental Therapeutics* **333**(1):140-51 (2010).

Quinn L. S., Anderson B. G., Strait-Bodey L., Wolden-Hanson T. Serum and muscle interleukin-15 levels decrease in aging mice: correlation with declines in soluble interleukin-15 receptor alpha expression. *Experimental Gerontology* **45**(2):106-12 (2010).

Raymond F., *et al.* Comparative gene expression profiling between human cultured myotubes and skeletal muscle tissue. *BMC Genomics* **11**(1):125 (2010).

Talluri S., *et al.* A G1 checkpoint mediated by the retinoblastoma protein that is dispensable in terminal differentiation but essential for senescence. *Molecular and Cellular Biology* **30**(4):948-60 (2010).

Tu K. C., Long T., Svenningsen S. L., Wingreen N. S., Bassier B. L. Negative feedback loops involving small regulatory RNAs precisely control the *Vibrio harveyi* quorum-sensing response. *Molecular Cell* **37**(4):567-79 (2010).

2009

Aleksunes L. M., Yeager R. L., Klaassen C. D. Application of multivariate statistical procedures to identify transcription factors that correlate with MRP2, 3, and 4 mRNA in adult human livers. *Xenobiotica* **39**(7):514-22 (2009).

Costanzo-Garvey D. L., *et al.* KSR2 is an essential regulator of AMP kinase, energy expenditure, and insulin sensitivity. *Cell Metabolism* **10**(5):366-78 (2009).

Francis S. M., *et al.* A functional connection between pRB and transforming growth factor beta in growth inhibition and mammary gland development. *Molecular and Cellular Biology* **29**(16):4455-66 (2009).

Gupta A., *et al.* Distinct functions of activated protein C differentially attenuate acute kidney injury. *Journal of the American Society of Nephrology* **20**(2):267-77 (2009).

Lee C. J., Seth G., Tsukuda J, Hamilton R. W. A clone screening method using mRNA levels to determine specific productivity and product quality for monoclonal antibodies. *Biotechnology and Bioengineering* **102**(4):1107-18 (2009).

Li Y., Buckley D., Wang S., Klaassen C. D., Zhong X. B. Genetic polymorphisms in the TATA box and upstream phenobarbital-responsive enhancer module of the UGT1A1 promoter have combined effects on UGT1A1 transcription mediated by CAR, PXR, or GR in human liver. *Drug Metabolism and Disposition* **37**(9):1978-86 (2009).

Pedersen A. E., Schmidt E. G., Gad M., Poulsen S. S., Claesson M. H. Dexamethasone/1alpha-25-dihydroxyvitamin D3-treated dendritic cells suppress colitis in the SCID T-cell transfer model. *Immunology* **127**(3):354-64 (2009).

Reisman S. A., Yeager R. L., Yamamoto M, Klaassen C. D. Increased Nrf2 activation in livers from Keap1-knockdown mice increases expression of cytoprotective genes that detoxify electrophiles more than those that detoxify reactive oxygen species. *Toxicological Sciences* **108**(1):35-47 (2009).

Wang M., *et al.* Common genetic variants on 8q24 contribute to susceptibility to bladder cancer in a Chinese population. *Carcinogenesis* **30**(6):991-6 (2009).

Yeager R. L., Reisman S. A., Aleksunes L. M., Klaassen C. D. Introducing the "TCDD-inducible AhR-Nrf2 gene battery". *Toxicological Sciences* **111**(2):238-46 (2009).

Young H. A. Cytokine multiplex analysis. *Methods in Molecular Biology* **511**:85-105 (2009).

Zhang Y. K., Yeager R. L., Klaassen C. D. Circadian expression profiles of drug-processing genes and transcription factors in mouse liver. *Drug Metabolism and Disposition* **37**(1):106-15 (2009).

Zhang Y. W., Jones T. L., Martin S. E., Caplen N. J., Pommier Y. Implication of checkpoint kinase-dependent upregulation of ribonucleotide reductase R2 (RRM2) in DNA damage response. *The Journal of Biological Chemistry* **284**(27):18085-95 (2009).

2008

Gerosa F., *et al.* Differential regulation of interleukin 12 and interleukin 23 production in human dendritic cells. *The Journal of Experimental Medicine* **205**(6):1447-61 (2008).

Gnatenko D. V., Zhu W., Bahou W. F. Multiplexed genetic profiling of human blood platelets using fluorescent microspheres. *Journal of Thrombosis and Haemostasis* **100**(5):929-36 (2008).

Hamaguchi I., *et al.* Application of quantitative gene expression analysis for pertussis vaccine safety control. *Vaccine* **26**(36):4686-96 (2008).

Hamaguchi I., Yamaguchi K. [New evaluation methods of vaccine safety]. *Nippon Rinsho* **66**(10):1922-31 (2008) (in Japanese).

Hart S. N., Cui Y., Klaassen C. D., Zhong X. B. Three patterns of cytochrome P450 gene expression during liver maturation in mice. *Drug Metabolism and Disposition* **37**(1):116-21 (2008).

Imamichi T., *et al.* IL-27, a novel anti-HIV cytokine, activates multiple interferon-inducible genes in macrophages. *AIDS* **22**(1):39-45 (2008).

Lee C. J., Seth G., Tsukuda J., Hamilton R. W. A clone screening method using mRNA levels to determine specific productivity and product quality for monoclonal antibodies. *Biotechnology and Bioengineering* **102**(4):1107-18 (2008).

Lyakh L., Trinchieri G., Provezza L., Carra G., Gerosa F. Regulation of interleukin-12/interleukin-23 production and the T-helper 17 response in humans. *Immunological Reviews* **226**(1):112-31 (2008).

Paik S., Kim C., Wolmark N. HER2 status and benefit from adjuvant trastuzumab in breast cancer. *The New England Journal of Medicine* **358**(13):1409-11 (2008).

Sterling J., Bojanic D., Eglen R. M., Heyse S., Strulovici B. Current trends in high-throughput screening. *Assay and Drug Development Technologies* **6**(4):491-504 (2008).

2007

Aeby P., *et al.* The COLIPA strategy for the development of in vitro alternatives: Skin sensitisation. *AATEX* **14**(Special Issue):375-9 (2007).

Cheng X., Buckley D., Klaassen C. D. Regulation of hepatic bile acid transporters Ntcp and Bsep expression. *Biochemistry and Pharmacology* **74**(11):1665-76 (2007).

Gupta A., *et al.* Role of protein C in renal dysfunction after polymicrobial sepsis. *Journal of the American Society of Nephrology* **18**(3):860-7 (2007).

2006

Flagella M., *et al.* A multiplex branched DNA assay for parallel quantitative gene expression profiling. *Analytical Biochemistry* **352**(1):50-60 (2006).

Zheng Z., Luo Y., McMaster G. K. Sensitive and quantitative measurement of gene expression directly from a small amount of whole blood. *Clinical Chemistry* **52**(7): 1294-302 (2006).

2005

Zhang, A., *et al.* Small interfering RNA and gene expression analysis using a multiplex branched DNA assay without RNA purification. *Journal of Biomolecular Screening*, **10**(6):549-56 (2005).